IIT JAM
BIOTECHNOLOGY - 2024
Question Paper

Section A: Q.1 – Q.10 Carry ONE mark each.

1. Which one of the following is a simple tissue system in plants?
   (A) Epidermis (B) Parenchyma
   (C) Phloem (D) Xylem

2. In DNA replication, the Okazaki fragments are joined by
   (A) DNA helicase (B) DNA ligase
   (C) DNA polymerase (D) DNA primase

3. The most abundant type of RNA in a metabolically active mammalian cell is
   (A) mRNA (B) rRNA
   (C) snoRNA (D) tRNA

4. Which organelle in a eukaryotic cell is the site of electron transport chain?
   (A) Endoplasmic reticulum
   (B) Golgi apparatus
   (C) Mitochondrion
   (D) Peroxisome

5. RNA is a polymer of
   (A) glycosides (B) ribonucleosides
   (C) ribonucleotides (D) riboses

6. Which one of the following is present in a bacterial cell?
   (A) 28S rRNA (B) 70S ribosome
   (C) Chitinous cell wall (D) Histones

7. Which color of light excites a natural GFP to emit green fluorescence?
   (A) Blue (B) Green
   (C) Infrared (D) Red

8. Which one of the following hormones promotes fruit ripening?
   (A) Abscisic acid (B) Auxin
   (C) Ethylene (D) Gibberellin

9. Which one of the following has a catalytic RNA?
   (A) Ribonuclease H
   (B) Ribozyme
   (C) RNA polymerase I
   (D) RNA polymerase II

10. The number of significant figures in a reported measurement of 0.00361 is
    (A) 3 (B) 4
    (C) 5 (D) 6

Section A: Q.11 – Q.30 Carry TWO marks each.

11. Match the terminology in Group I with the stimulus in Group II that generates growth response of plants

Group I	Group II
P. Gravitropism	1. Light
Q. Phototropism	2. Touch
R. Thigmotropism	3. Chemical
S. Chemotropism	4. Gravity

    (A) P – 3, Q – 4, R – 2, S – 1
    (B) P – 2, Q – 1, R – 3, S – 4
    (C) P – 4, Q – 1, R – 2, S – 3
    (D) P – 4, Q – 2, R – 1, S – 3

12. The correct hierarchy of taxa in the Linnaean classification of eukaryotes is
    (A) kingdom, class, phylum, order, family, genus
    (B) kingdom, order, class, phylum, family, genus
    (C) kingdom, phylum, order, family, class, genus
    (D) kingdom, phylum, class, order, family, genus

13. Which one of the following statements about polyploidy is correct?
    (A) Autopolyploids are derived from a single species
    (B) Autopolyploids are derived from two different species
    (C) Allopolyploids are derived from a single species
    (D) Allopolyploids are not fertile when mated with each other

14. Which one of the following hormones is a tyrosine derivative?
(A) Epinephrine
(B) Estradiol
(C) Progesterone
(D) Testosterone

15. Which one of the following immunoglobulins crosses the human placenta?
(A) IgA
(B) IgE
(C) IgG
(D) IgM

16. Determine the correctness or otherwise of the following Assertion [a] and the Reason [r].
Assertion [a]: The resolving power of a transmission electron microscope is higher than that of the light microscope.
Reason [r]: The wavelength of electrons is shorter than that of visible light.
(A) Both [a] and [r] are true and [r] is the correct reason for [a]
(B) Both [a] and [r] are true but [r] is not the correct reason for [a]
(C) Both [a] and [r] are false
(D) [a] is true but [r] is false

17. Match the morphology in Group I with the corresponding microorganism in Group II

Group I	Group II
P. Coccus	1. Treponema
Q. Rod	2. Bacillus
R. Comma	3. Neisseria
S. Spiral	4. Vibrio

(A) P – 3, Q – 2, R – 4, S – 1
(B) P – 4, Q – 1, R – 3, S – 2
(C) P – 2, Q – 4, R – 1, S – 3
(D) P – 1, Q – 2, R – 3, S – 4

18. Which one of the following genetic crosses and their results indicates cytoplasmic inheritance?
(A) Wild-type male × mutant female → 100% progeny are mutant
(B) Wild-type male × mutant female → 25% progeny are wild-type
(C) Mutant male × wild-type female → 50% progeny are mutant
(D) Mutant male × wild-type female → 75% progeny are wild-type

19. Which of the following is NOT a characteristic morphological feature of apoptotic cells?
(A) Disassembly of nuclear envelope
(B) DNA fragmentation
(C) Increased cell size
(D) Membrane blebbing

20. Competition between two populations in an ecosystem is
(A) beneficial (+) to both the populations
(B) deleterious (-) to both the populations
(C) beneficial (+) to one population, but deleterious (-) to the other population
(D) beneficial (+) to one population, but no effect (0) on the other population

21. Adenine constitutes 0.16 mole fraction in a given single-stranded DNA. What is the mole fraction of uracil in the resultant RNA, if this entire DNA fragment is transcribed?
(A) 0.16 (B) 0.32
(C) 0.34 (D) 0.68

22. Which one of the following is NOT used as a component in subunit vaccines?
(A) Capsular polysaccharide
(B) Inactivated exotoxin
(C) Inactivated virus
(D) Viral glycoprotein

23. Metabolic acidosis is associated with decreased plasma level of
(A) bicarbonate (B) lactate
(C) oxygen (D) urea

24. Genes in two species that are derived from the same ancestral gene in their most recent common ancestor are called
(A) analogs (B) heterologs
(C) orthologs (D) paralogs

25. An object is placed 15 cm in front of a convex mirror, which has a radius of curvature 30 cm. Which one of the following is true of the image formed?
(A) Real and inverted
(B) Real and upright
(C) Virtual and inverted
(D) Virtual and upright

26. If a variable z shows a standard normal distribution, then the percent probability that $0 \leq z^2 \leq 1$ is _____ (rounded off to the nearest integer).
(A) 34 (B) 68
(C) 95 (D) 99

27. In chick embryo, the ectoderm generates
(A) alveolar cells (B) germ cells
(C) neurons (D) red blood cells

28. The boiling points of Iodomethane, Dibromomethane, Bromomethane, Chloromethane follow the order
(A) Bromomethane > Dibromomethane > Iodomethane > Chloromethane
(B) Bromomethane > Iodomethane > Chloromethane > Dibromomethane
(C) Dibromomethane > Iodomethane > Bromomethane > Chloromethane
(D) Iodomethane > Bromomethane > Chloromethane > Dibromomethane

29. Chromosome duplication during the cell cycle occurs in
(A) G_1 phase (B) G_2 phase
(C) M phase (D) S phase

30. Ionic character of the covalent bonds in the compounds Cl_2, HCl, NaCl, NaF follows the order
(A) $Cl_2 > NaCl > HCl > NaF$
(B) $HCl > Cl_2 > NaF > NaCl$
(C) $HCl > NaCl > NaF > Cl_2$
(D) $NaF > NaCl > HCl > Cl_2$

Section B: Q.31 – Q.40 Carry TWO marks each.

31. Which of the following is/are lateral meristems?
(A) Cork cambium
(B) Procambium
(C) Protoderm
(D) Vascular cambium

32. Which of the following statement(s) about Golden Rice is/are correct?
(A) Consumption of it increases vitamin A levels
(B) Consumption of it increases vitamin D levels
(C) Consumption of it increases vitamin K levels
(D) It is a transgenic crop containing β-carotene

33. Which of the following statement(s) about eukaryotic DNA topoisomerase is/are correct?
(A) Topoisomerase I creates transient single-strand breaks
(B) Topoisomerase I creates transient double-strand breaks
(C) Topoisomerase II creates transient single-strand breaks
(D) Topoisomerase II creates transient double-strand breaks

34. Which of the following method(s) is/are used to estimate protein concentration?
(A) Anthrone (B) Biuret
(C) Bradford (D) Lowry

35. Which of the following is/are example(s) of a lotic ecosystem?
(A) Lake (B) Pond
(C) River (D) Stream

36. Which of the following statement(s) about the effect of genetic drift is/are correct?
(A) It can cause changes in the frequency of alleles at random
(B) It is a mechanism of evolution
(C) It can lead to loss of genetic variation within small populations
(D) It is significant in large populations

37. Which of the following technique(s) can be used to determine the three-dimensional structure of an organic compound?
(A) Mass spectrometry
(B) NMR spectroscopy
(C) UV-visible spectroscopy
(D) X-ray crystallography

38. Which of the following entity(ies) is/are found inside the intact nucleus of eukaryotic cells?
(A) Centrosome
(B) Lysosome
(C) Nucleolus
(D) Nucleosome

39. Which of the following is/are trace element(s)?
(A) Mn
(B) P
(C) S
(D) Zn

40. Which of the following is/are true about Retrovirus?
(A) It contains double-stranded RNA genome
(B) It can cause cancer
(C) It contains reverse transcriptase
(D) It contains double-stranded DNA genome

Section C: Q.41 – Q.50 Carry ONE mark each.

41. A wooden plant accumulates $10\ mg\ kg^{-1}$ of ^{14}C during its life span. A fossil of this plant was discovered and contains $2.5\ mg\ kg^{-1}$ of ^{14}C C. The age of this fossil at the time of discovery is _____ years (rounded off to the nearest integer). (Use 5730 years as half-life of ^{14}C)

42. A cylinder contains 50 L of an ideal gas at a pressure of 50 atm. Assuming that the temperature remains unchanged, the volume of the gas at 1 atm is _____ L (rounded off to the nearest integer).

43. One molecule of the protein myoglobin contains one atom of iron. A myoglobin sample was found to contain 0.34% iron. The molecular weight of myoglobin is _____ $g\ mol^{-1}$ (rounded off to the nearest integer). (Use 55.9 $g\ mol^{-1}$ as atomic mass of iron)

44. The wavelength of visible light for the green color is 600 nm. The energy of photons of this color is _____ eV (rounded off to one decimal place). (Planck's constant $= 6.63 \times 10^{-34} Js, 1\ eV = 1.6 \times 10^{-19} J$, speed of light $= 3 \times 10^{8}\ ms^{-1}$)

45. A ball dropped from a bridge hits the surface of the water in 3 s. The height of the bridge, ignoring air resistance, is _____ m (rounded off to one decimal place). (Use $g = 9.8\ ms^{-2}$)

46. For a given square, if the area of its incircle is 100 cm^2, then the area of its circumcircle is _____ cm^2 (rounded off to the nearest integer).

47. The number of peaks in the ^{1}H NMR spectrum of methoxymethane (CH_3OCH_3) is _____.

48. The amount of agarose required to prepare 250 mL of 0.8% agarose gel is _____ $grams$ (rounded off to the nearest integer).

49. Three genes x, y, and z are located on a chromosome in a linear order. If the recombination frequencies between x and y is 0.15, and between y and z is 0.10, then the expected frequency of double crossovers is _____ (rounded off to three decimal places).

50. A bacterial cell suspension contains $2 \times 10^5\ cells\ mL^{-1}$. The volume of this suspension required to obtain $1.4 \times 10^6\ cells$ is _____ mL (rounded off to the nearest integer).

Section C: Q.51 – Q.60 Carry TWO marks each.


51. The data provided in the table were obtained from the following reaction, carried out at $273\ K$. $A + B \rightarrow C$

Initial concentration of $[A]\ mol\ L^{-1}$	Initial concentration of $[B]\ mol\ L^{-1}$	Initial rate of formation of $[C]\ mol\ L^{-1}s^{-1}$
0.2	0.2	0.3
0.4	0.2	0.6
0.4	0.4	2.4

The order of the reaction with respect to A is _____.

52. Ammonia is synthesized in the Haber process in the following reaction.
$N_2(g) + 3H_2(g) \rightarrow 2NH_3(g)$
The temperature above which the reaction becomes spontaneous is _____ K (rounded off to one decimal place). $(\Delta H^0 = -92.2\ kJ, \Delta S^0 = -199\ JK^{-1})$

53. In the given molecule,



The number of chiral centers is _____

54. Two resistors 2Ω and 4Ω are combined in parallel. If this combination is connected to a battery of 16 V, the maximum current that can be drawn from the battery is _____ A (rounded off to the nearest integer).

55. A box of mass 20 kg is pulled at constant speed across a floor by a rope. The rope makes an angle of $45°$ with the horizontal. Assuming that friction is negligible, the work done in pulling the box by a distance of 20 m is _____ J (rounded off to the nearest integer).
(Use $g = 9.8\ ms^{-2}$)


56. Consider an enzyme that follows simple Michaelis-Menten kinetics, and has a K_M of 5 μM. The initial velocity of the reaction will be 10% of the maximum velocity at a substrate concentration of _____ μM (rounded off to two decimal places).

57. The value of $\lim_{x \to 3} \frac{x^2-9}{x^2-4x+3}$ is _____ (rounded off to the nearest integer).

58. A population of 1000 plants are in Hardy-Weinberg equilibrium. Two alleles R and r determine a particular trait in this population. If the number of plants with RR genotype is 640, Rr genotype is 320 and rr genotype is 40, the frequency of r allele (in percentage) in this population is _____ (rounded off to the nearest integer).

59. If a fair coin is tossed two times, the probability that the first or the second toss will be heads is _____ (rounded off to two decimal places).

60. The restriction map of a circular plasmid is shown below, along with the indicated distances between the restriction sites.



The plasmid was completely digested with EcoRI, and XhoI. The products were analysed by agarose gel electrophoresis followed by ethidium bromide staining. The number of bands that will be visible in the gel when exposed to UV light is _____.

IIT JAM BIOTECHNOLOGY
About IFAS

IFAS is **India's No. 1** EduTech Company for
CSIR UGC NET, GATE & IIT JAM

Our Mission

Democratising Online Education through Personalized Learning.

Our Vision


We are and will remain no. 1 brand for Competitive Examination Preparation, helping the highest number of students to succeed.

Our Values

- Make a positive difference in the lives of our students.
- With every milestone, aim higher and strive to achieve it.
- Innovate the oldest industry and find better ways to do it.
- Grow by investing in people.
- We value our colleagues, our students and hold the utmost regard for everyone.

IIT JAM BIOTECHNOLOGY

App Features



- AI-Based Learning
- Live Session
- Live Interaction
- Chat Support
- Teacher's e-Notes
- Recording of Live Classes
- Daily Practice Sheet
- Regular Online Test
- Supports-Mobile, Tablet & PC

Download IFAS App and Get Free Access

Available on

GET IT ON Google Play | Download on the App Store | Available on Windows Store

- Topic-wise Lectures
- Detailed PYQ Solutions
- Practice Questions
- Daily Contest
- Teacher Handouts
- Preparation Content
- Topper's Strategy

IIT JAM BIOTECHNOLOGY

App Features

IfAS

FOR A DETAILED VIDEO EXPLANATION OF THE QUESTION PAPER WITH SOLUTION KINDLY VISIT

https://t.me/IITJAM_GATB_MScEntrance_Biotech

GROUP

https://www.facebook.com/groups/28979494210853

PAGE

https://www.facebook.com/IITJAMBiotechnologyGAT

https://www.youtube.com/@IITJAM_GATB_CUETPG_TIFR/stre

https://www.instagram.com/iitjambiotechnology_gatb_cuet/

Share with your friends and spread the valuable information

Happy Learning...

INSTITUTE FOR ADVANCED STUDIES

Online | Pune | Jodhpur | Kolkata | Hyderabad

+91-917 22 66 888 www.ifasonline.com

India's No. 1 Institute for all MSc. Entrance Exams, CSIR NET & GATE